

Softener Gel MATERIAL SAFETY DATA SHEET

Version: 1 Revision: -

Printing date: 01.12.2013 No: FR-GBF-AD009

Sayfa 1 / 5

1. Identification of the substance/mixture and Company

1.1. Product Name: ORGAPRINT S8400 Softener Gel

1.2. Product Description: Textile printing additive

1.3. Company/Supplier Name: SERIMAK SERIGRAFI MALZ. SAN. A.S.

Cumhuriyet Mahallesi, Dersaadet Caddesi

No:15 Sultangazi - İSTANBUL / TÜRKİYE

Tel: 0212 668 20 20 Fax: 0212 247 09 93

1.4. Emergency telephone: 0212 668 20 20

2. Composition/Information on Ingredients

This product is not classified as dangerous according to ES European Directives 67/548/EEC and 99/45

Please look at item 15 for all R-Phases Codes.

3. Hazard Identification

This product is not classified as dangerous according to EC European Directives 67/548/EEC and 99/45.

4. First Aid Measures

Genaral advice:

Immediately remove contaminated clothing.

On skin contact:

Have not important effects. Wash troughly with soap and water. If possible use working gloves.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open and consult a doctor immediately.

On ingestion:

After swallowing seek medical advice. Show the label and package to doctor.

On inhalation:

Have not important effects. After much inhalation go fresh air.



Softener Gel MATERIAL SAFETY DATA SHEET

Version: 1 Revision: -

Printing date: 01.12.2013 No: FR-GBF-AD009

Sayfa 2 / 5

5. Fire Fighting Measures

Suitable extinguishing agents:

Water mist, foam dry powder,CO2. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing agents:

Do not use only water directly

Specific Hazards:

Carbon dioxide, toxic pyrolysis residues may ocur as a decomposition product incase of fire. Do not inhale.

Further Information:

Wear a self contained breathing apparatus. Contaminated extinguished water

Protective equipment:

Wear self-contained breathing apparatus and protective clothing.

6. Accidental Release Measures

Person-related safety precautions:

Please look at item 8. If material is spilled the ground may be slippery

Measures for environmental protection:

Pay attention to local or official regulations. Do not discharge to the sewage, surface water soil.

Measures for cleaning/collecting:

Close the drains (clogging risk). Use absorbent materials for cleaning up. Sweep up the stained places and dispose according legal regulations..

7. Handling and Storage

Handling

Precautions for safe handling:

Assure the working place a well ventilated place. Keep closed the cover of goods well. Maintain adequate ventilation when preparing mixtures.

Storage

Conditions for safe stoage: Keep container tightly closed and dry. Store in a cool place at 5°C- 25°C.

SERIMAK ®

ORGAPRINT S8400

Softener Gel MATERIAL SAFETY DATA SHEET

Version: 1 Revision: -

Printing date: 01.12.2013 No: FR-GBF-AD009

Sayfa **3** / **5**

8. Exposure controls/ Personal Protection

Industrial Hygiene:

Normal standarts of industrial hygiene should be oserved. Food and drink should not be handled in working areas. Wash thoroughly after handling and before eating, drinking or smoking.

Eye protection:

Not needed.

Hand protection:

Gloves.

Respiratory protection:

In unwell ventilated place Respiratory protection in needed in case there is a spray processing application.

9. Physical and Chemical Properties

Form: Paste

Colour: Colourless

Odour: Less

Ph: 8.5-9.5

Viscosity: 4.000-6.000cp at (20°C, sp:4, rpm:20, Brookfield)

Density: 1.05 g/cm³ at 20°C

Melting point/Melting range: undetermined. Boiling point/Boiling range: undetermined.

Autoflammability : Not flammable.

Danger of explosion: Product does not present an explosion hazard.

Flash point: Not applicable.
Solubility: Souble with water

10. Stability and Reactivity

Stability: Stable at normal conditions.

Conditions to avoid: Avoid extremes of temperature.

Material to avoid: Strong oxidizing agents.



Softener Gel MATERIAL SAFETY DATA SHEET

Version: 1 Revision: -

Printing date: 01.12.2013

No: FR-GBF-AD009

Sayfa 4 / 5

Hazardous decomposition products: When involved in a fire, burning organic pigments may evolve noxious fumes which may include carbonmonoxide, nitrous oxides or other toxic compounds depending on the pigment type.

11. Toxicological Information

It is not seen any bad effects to human health after exposure. We suggest working in suitable and well ventilated working places.

Acute Data: LD50>2000 mg/kg rat.

Other Information: No evidence of risk in humans if the product is used according to specification.

12. Ecological information

Biotic Degradation: Biodegradable

Ecotoxicity:

Water Toxicity: (OECD 202, Section 1, DIN38412, Section 11, DEV L11)

Daphnia Toxicity Ec50>1000 mg/1 (Daphnia manga,48 H).

13. Disposal Considerations

Contaminated packaging: If possible collect for re-use.

Dispose of according to all federal, state, and local applicable regulations.

14. Transport Information

Land transport(ADR/RID/GGVS/GGVE): Not a transport hazard. Not submitted to the ADR regulations.

Sea transport (IMDG/GGVSee): Not a transport hazard. Not submitted to the IMO regulations.

Air transport (ICAO/IATA): Not a transport hazard. Not submitted to the ICAO regulations.

15. Regulatory Information

Hazards symbols(s): No

Risk phrase(s) (R): No

S-phrases (S): S 3/7 Keep container tightly closed in a cool place.



Softener Gel MATERIAL SAFETY DATA SHEET

Version: 1 Revision: -

Printing date: 01.12.2013 No: FR-GBF-AD009

Sayfa **5** / **5**

16. Other Information

The information provided in this Safety Data Sheet is correct to the best of our knowledge and experience at the date of its publication. The purpose of this Safety Data Sheet is to describe the products in terms of safe handling, use, processing, storage, transportation, disposal and release and is not imply a warranty concerning composition, properties or performance.